($O \bigcirc PNT10$	3 ARY SCHOOLS MATERIAL	SAFETY DATA SHEET. CM 0173
()	PRODUCT NAME: KRIL-COAT PRODUCT CODE: 5903 - 59 (WATER) =============== SECTIO		CODES: H F R P . 1 0 0 CATION ====================================
	MANUFACTURER'S NAME: MILLER PAINT CO., INC. ADDRESS: 12730 N.E. Whitaker Way, Portland, OR 97230 EMERGENCY PHONE: 1-800-424-9300 INFORMATION PHONE: (503) 255-0190 DATE REVISED : 03-25-91 NAME OF PREPARER : Buckinger/Serra ======= SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION ========		
	BECTION II -		
			OR PRESSURE WEIGHT
	EALARDOUS COMPOSEETS	CAS AUMEER OSEA TWA ACCIE TWA OSEA STEL E	n Eg (TEXP PERCENT
	*Sthylene Glycol	107-21-1 50 ppm C 50 ppm C	0.1 68P 2-
(*Sthylene Glycol		0.1 68P 2-
, - -	*Ethylene Glycol * Indicates toxic chemical(s) subject to the r	107-21-1 50 ppm C 50 ppm C	0.1 68P 2- CFR 372.

FLASH POINT: N/A METHOD USED: N/A FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/A UPPER: N/A


EXTINGUISHING MEDIA: N/A

SPECIAL FIREFIGHTING PROCEDURES people away. Do not enter confined fire space without proper protective equipment including a NIOSE approved selfained breathing apparatus. Cool closed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS Closed containers may emplode when exposed to extreme heat. During emergency conditions, overexposure to decomposition products may cause a health barard. Symptoms may not be immediately apparent. Obtain medical attention.

STABILITY: STABLE CONDITIONS TO AVOID Imt INCOMPATIBILITY (MATERIALS TO AVOID) Kone HAZARDOUS DECOMPOSITION OR BYPRODUCTS Tone HAZARDOUS POLYMERIZATION: WILL NOT OCCUR 22222222322222222 SECTION VI -. . INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE Yapors or mists can cause drownness, cough, bronchitis, blurred vision, irritation of nuccus membranes, nausea, headache, dizziness, weakness and loss of coordination. SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE May cause irritation. SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE May cause irritation. INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE May cause headache, gastrointestinal irritation, nausea, vomiting and diarrhea. HEALTH HAZARDS (ACUTE AND CHRONIC) This product may contain some materials which at a normal low level should not present a problem. CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE Any respiratory or skin condition may be appravated. EMERGENCY AND FIRST AID PROCEDURES Inhalation: Remove to fresh air. Eyes: Flush immediately with water. Consult physician if irritation persists. Skin: Remove with soap and water. Remove contaminated clothing. Ingestion: Drint 1 to 2 glasses of water to dilute. DO NOT induce vomiting. Consult physician or poison control center immediately. Treat symptomatically. 3/27/91 ٠.

2.



3/25/9

- د